

# Cigarette Smoking (Adults)

## Cigarette Smoking (Adults)

- Most recent data (2013): 12% or about 182,500 King County adults age 18+.
- Trend over time: 2000-13: falling
- Description: Now smoke cigarettes every day or some days

## Cigarette smoking (adults), King County, 2009-2013 average

	Percent	Lower CI	Upper CI
<b>King County</b> (adults age 18+)	14	13	14
<b>AGE</b>			
18-24	14	11	17
25-44	16	14	18
45-64	14	13	15
65+	6	5	8
<b>GENDER</b>			
Male	16	14	17
Female	11	10	13
<b>RACE/ETHNICITY</b>			
AIAN	24	15	38
Asian	8	6	11
Black	23	18	28
Hispanic	16	12	20
Multiple	16	12	21
NHPI	17 §	9 §	31 §
White	13	12	14
<b>HOUSEHOLD INCOME</b>			
<\$15,000	31	26	36
\$15,000 to \$24,999	23	20	27
\$25,000 to \$34,999	20	16	24
\$35,000 to \$49,999	15	12	19
\$50,000 to \$74,999	12	10	14
\$75,000+	7	6	8
<b>REGION</b>			
East	9	8	11
North	13	10	17
Seattle	13	12	15
South	17	16	19

### Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

### Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

CI is 95% Confidence Interval.


\* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

## Cigarette smoking (adults)

### King County, 2009-2013 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

|-----| Confidence interval shows range that includes true value 95% of the time.

\* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

## Cigarette smoking (adults) by comparison areas

The Healthy People 2020 Objective for cigarette smoking (adults) is 12%.

	Latest Available Year	Percent	Lower CI	Upper CI
United States	2012	20	N/A	N/A
WA State	2012	17	16	18
<b>King County</b>	2013	12	10	14

### Notes:


Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

N/A: Not available.

CI is 95% Confidence Interval.

## Cigarette smoking (adults) by comparison areas



Source: Behavioral Risk Factor Surveillance System.  
Prepared by Public Health - Seattle & King County, APDE, 12/2014.  
|-----| Confidence interval shows range that includes true value 95% of the time.

# Cigarette smoking (adults) by health reporting areas, King County, 2009-2013 average

	Percent	Lower CI	Upper CI
<b>King County</b> (adults age 18+)	14	13	14
Auburn	22	16	29
..Auburn-North	22	14	34
..Auburn-South	21	13	31
Bear Creek/Carnation/Duvall	14	9	21
Bellevue	9	7	12
..Bellevue-Central	12	7	19
..Bellevue-NE	12	7	19
..Bellevue-South	7	4	12
..Bellevue-West	7 §	3 §	13 §
Black Diamond/Enumclaw/SE County	15	10	21
Bothell/Woodinville	13	7	22
Burien	18	13	25
Covington/Maple Valley	14	10	21
Des Moines/Normandy Park	15	10	24
East Federal Way	17	11	25
Fairwood	9 §	5 §	17 §
Federal Way	16	12	21
..Fed Way-Central/Military Rd	17	12	23
..Fed Way-Dash Point/Woodmont	14	9	23
Issaquah	7 §	4 §	13 §
Kenmore/LFP	10	6	17
Kent	17	13	22
..Kent-East	17	10	26
..Kent-SE	14	10	21
..Kent-West	23	14	36
Kirkland	10	7	15
..Kirkland	10	6	17
..Kirkland North	10	6	16
Mercer Isle/Pt Cities	5 §	3 §	10 §
Newcastle/Four Creeks	8	5	13
North Highline	30	16	47
Redmond	5	3	9
Renton	18	13	23
..Renton-East	6 §	3 §	13 §
..Renton-North	25	15	39
..Renton-South	19	13	27
Sammamish	7	5	11
SeaTac/Tukwila	26	18	35
Seattle	13	12	15
..Ballard	9	5	15
..Beacon/Gtown/S.Park	15	9	24
..Capitol Hill/E.lake	13	8	20
..Central Seattle	14	9	21
..Delridge	23	15	34
..Downtown	21	14	29
..Fremont/Greenlake	13	8	21
..NE Seattle	8	5	13
..North Seattle	13	9	19
..NW Seattle	10	6	14
..QA/Magnolia	12	8	18
..SE Seattle	21	14	30
..West Seattle	11	7	16
Shoreline	13	9	18
Snoqualmie/North Bend/Skykomish	10	6	16
Vashon Island	12 §	6 §	23 §

## Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

## Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.


CI is 95% Confidence Interval.

\* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.


Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

## Cigarette smoking (adults) by health reporting areas King County, 2009-2013 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order  
Source: Behavioral Risk Factor Surveillance System.  
Prepared by Public Health - Seattle & King County, APDE, 12/2014.

# Cigarette smoking (adults) King County, 2000-2013, three-year rolling averages



Source: Behavioral Risk Factor Surveillance System.  
Prepared by Public Health - Seattle & King County, APDE, 12/2014.

Produced by the  
Assessment, Policy Development & Evaluation Unit  
Public Health - Seattle & King County  
12/14

King County  
Hospitals  
for a Healthier  
Community